

PROFF

dBTechnologies

Varenr	Tekst	excl. moms	incl. moms
VIO SERIES			
VIO L208	Offering lighter and faster rigging elements, featuring an unique acoustic design, combining long throw and detailed audio performance, the new VIO L208 is both a powerful yet compact stand-alone line array system, and a fully compatible down-fill for VIO L210+ VIOL208 hybrid systems, completed by VIO S Active subwoofers.	23.148,00	28.935,00
VIO L210	2-way active line array module, equipped with: 1x 1.4" Neo compression driver exit (3" voice coil) and 2x 10" neo woofer (2.5" voice coil). 900 W RMS Class D DIGIPRO® G3 amplifier DSP, max 135 dB SPL. Controls: 1x Speakers Coupling (7 presets), 1x HF Compensation (8 presets), 1x Input Attenuation. Cabinet: Multiplex plywood, Dimensions: WxHxD 720x320x520 mm. Weight: 28.6 kg (63 lbs.)	29.560,00	36.950,00
VIO L1610	Active 3-way line array system, 2x10" neodymium woofers, coaxial neodymium component (4" MF plus a 2,5" v.c. HF compression driver), amp Digipro G4 1600 W RMS, modular slot with RDNet card, weight 31.3 kg (69 lbs)	42.216,00	52.770,00
VIO L212	VIO L212 is the first dBTechnologies' full scale line array module designed for large touring sound reinforcement applications, concurrently providing mighty output capability and optimized coverage behaviour. dBTechnologies was able to pack great sound pressure levels into one of the most compact and lightest active 2x12" line array systems.	52.608,00	65.760,00
VIO S115	Active subwoofer 1x15" woofer, flyable, Digipro G3 900 RMS amp, RD net	20.676,00	25.845,00
VIO S118	Single 18" VIO subwoofer. Flyable	34.224,00	42.780,00
VIO S118R	Equipped with a 18" woofer (4" voice coil), the bass reflex sub has been crafted to complete with impressive low-end VIO line array systems.	30.536,00	38.170,00
VIO S218	The perfect partner for VIO L212 in larger sound reinforcement applications. A simple, effective dual sub configuration designed to enhance the reproduction of the lowest frequencies, boosted by an advanced DSP control and complete network capability.	52.608,00	65.760,00
VIO S318	Active bass-reflex semi-horn loaded subwoofer, equipped with 3x 18" woofers with a 4" voice coil, 2700 w RMSClass D DIGIPRO® G3 amp, max SPL 143 dB, 1x Input Attenuation Rotary Switch, 1x Rotary Encoder (Delay 9.9 ms,) 1x Polarity Inversion Switch (0° or 180°), 1xCardioid Mode Switch, 1x X-Over Freq Switch (70-105 Hz + Full Range (steps of 5 Hz), Cabinet: multiplex plywood, Dimensions WxHxD: 1300x520x800 mm, Weight: 103,9 kg (229.06 lbs.)	49.004,00	61.255,00
PBS-63EU	Powerbox socapex 63A	87.948,00	109.935,00
VIO S218F	Flyable version of VIO S218	60.488,00	75.610,00
VIO C Series			
VIO C12	VIO C12 (1x12", 3.5" v.c. LF and 1x1.4"exit, 3" v.c. HF), VIO C15 (1x15", 3.5" v.c. LF and 1x1.4" exit, 3" v.c. HF) and VIO C212 (2x12", 3" v.c. LF and 1x 1.4"exit, 3" v.c. HF). The whole series is equipped with latest generation 1600 W RMS Class D Amp module Digipro G4 driving a powerful DSP and allowing each system to deliver impressive SPL (139 dB for VIO C12, 140 dB for VIO C15, and 141 dB for VIO C212)	35.176,00	43.970,00
VIO C15	VIO C15 (1x15", 3.5" v.c. LF and 1x1.4" exit, 3" v.c. HF) and VIO C212 (2x12", 3" v.c. LF and 1x 1.4"exit, 3" v.c. HF). The whole series is equipped with latest generation 1600 W RMS Class D Amp module Digipro G4 driving a powerful DSP and allowing each system to deliver impressive SPL (139 dB for VIO C12, 140 dB for VIO C15, and 141 dB for VIO C212)	38.696,00	48.370,00
VIO C212	VIO C212 (2x12", 3" v.c. LF and 1x 1.4"exit, 3" v.c. HF). The whole series is equipped with latest generation 1600 W RMS Class D Amp module Digipro G4 driving a powerful DSP and allowing each system to deliver impressive SPL (139 dB for VIO C12, 140 dB for VIO C15, and 141 dB for VIO C212)	42.216,00	52.770,00

PROFF

dBTechnologies

Varenr	Tekst	excl. moms	incl. moms
VIO X Series			
VIO X10	VIO X is an original series of professional active 2-way speakers. A point-source completion for the VIO family, combining impressive output, advanced DSP features and complete networkability via Aurora Net software.	11.444,00	14.305,00
VIO X12	VIO X is an original series of professional active 2-way speakers. A point-source completion for the VIO family, combining impressive output, advanced DSP features and complete networkability via Aurora Net software.	13.720,00	17.150,00
VIO X15	VIO X is an original series of professional active 2-way speakers. A point-source completion for the VIO family, combining impressive output, advanced DSP features and complete networkability via Aurora Net software.	14.780,00	18.475,00
VIO X205-60	VIO X205 condenses the powerful and detailed sound of the ultimate dBTechnologies point source series into a small, ultra-performing cabinet. VIO X205 acts as the most precise and versatile unit in any tour-grade application as well as in fixed installations. VIO X205 is available in 2 models featuring 2 different constant directivity horns allowing a 60°x60° (for VIO X205-60) or 100°x100° (for VIO X205-100) dispersion pattern (both horizontal & vertical)	10.564,00	13.205,00
VIO X205-100	VIO X205 condenses the powerful and detailed sound of the ultimate dBTechnologies point source series into a small, ultra-performing cabinet. VIO X205 acts as the most precise and versatile unit in any tour-grade application as well as in fixed installations. VIO X205 is available in 2 models featuring 2 different constant directivity horns allowing a 60°x60° (for VIO X205-60) or 100°x100° (for VIO X205-100) dispersion pattern (both horizontal & vertical)	10.564,00	13.205,00
VIO X206-60	Active 2-way speaker, 2X 6,5" woofer, 1" driver, Digipro G 3 900 W RMS amp, interchangeable horn 60x90°, RDNet	18.484,00	23.105,00
VIO X206-100	Active 2-way speaker, 2X 6,5" woofer, 1" driver, Digipro G 3 900 W RMS amp, interchangeable waveguide 100x15° (line array use), RDNet	18.484,00	23.105,00
VIO X310	Active 3-way point source speaker equipped with 2x10" woofers and coaxial neodymium component (4" MF plus a 2,5" v.c. HF compression driver, rotatable 90x40° horn, amp Digipro G4 1400 W RMS, slot with RDNet card,	34.756,00	43.445,00
VIO X315	Active 3-way point source speaker equipped with 1x15" woofer and coaxial neodymium component (4" MF plus a 2,5" v.c. HF compression driver, 90x50° horn, amp Digipro G4 1400 W RMS, slot with RDNet card,	37.396,00	46.745,00
VIO W series			
VIO W10	Ultra-slim wedge 2-way system equipped with 4x4" neodymium HF speakers and 1x10" woofer, placed in an exclusive anti-feedback acoustic configuration. The cabinet is driven by a 400 W RMS Digipro G3 amplifier and full remote control is enabled via RD-Net and Aurora Net software.	11.092,00	13.865,00
VIO W15T	Active stage monitor equipped with coaxial component 15" + 3", rotatable horn for a 60x80 * dispersion pattern, Digipro G4 amp 1600 W RMS, maz 137 dB SPL, RDNet cart, full grille design,	31.584,00	39.480,00
DVA SERIES			
DVA T12	Active 3-Way Array Modul 1410 W/RMS Class-D, 1x12" Woofer, 2 x 6,5" Mid, 3x1" driver, 100°x10° single unit, 136 dB SPL, 24-Bit/96Khz DSP, Switch mode supply with PFC, RD-Net, Dimensions: 580x386x430mm, Weight 29.9kg	26.904,00	33.630,00
DVA T12W	The same as DVA T12, but white.	26.904,00	33.630,00

PROFF

dBTechnologies

Varenr	Tekst	excl. moms	incl. moms
DVA T8	Active 3- Way Line-Array Module, 1x 8" Neo Woofer, Bandpass Design, 1x 6.5" hornloaded Neo Midrange Woofer incl. Phaseplug, 2x1" Neo Compression Driver 700 W / RMS, 66 – 18.000 Hz, 132 dB SPL. Black. Dimesions: 580x240x327mm, Weight 14,2 kg	14.600,00	18.250,00
DVA T8W	The Same as DVA T8, but white.	14.600,00	18.250,00
DVA S30 N	Active 2x18" Subwoofer with horn-loaded Reflex tunnel, 3000 W/RMS, 2x18" Neodymium woofer with 4" V.C., 141 dB SPL, 24-Bit/96Khz DSP, Switch mode supply with PFC, RDNet, Dimensions: 1100x580x720mm, Weight 72kg	32.004,00	40.005,00
DVA S2585 N	Active Cardiod-Subwoofer 1x18" front + 1x15" back , max. SPL: 140 dB, 2500 W/RMS digipro® G2, System preset : X-Over Phase Delay, RDNet, 2x RJ45, Dimension: 515x640x1000mm, Weight 65kg	32.884,00	41.105,00
DVA S1518 N	Active Subwoofer Bandpass, 1x18", max. SPL: 138 dB, 1500 W/RMS digipro® G2 , System preset: X-Over Phase Delay, RDNet, Dimension: 510x640x720mm, Weight 46kg	21.276,00	26.595,00
DVA K5	3-way active line array module, equipped with: two 1" compression driver exit (1.4" voice coil), one 6.5" neodymium midrange (2" voice coil) and one 8" neodymium woofer (2.5" voice coil). 500 W Class D DIGIPRO® G3 amplifier DSP, max SPL 129 dB, DSP 28/56 bit 48 kHz, controls: 2 rotary encoders with 8 presets, Cabinet: Polypropylene PP metal reinforced, Dimensions: 580x240x327 mm. Weight: 14.2 kg (31.31 lbs.)	11.596,00	14.495,00
DVA KS10	Active semi-horn loaded flyable subwoofer, equipped with one 18" woofer (4" voice coil), Class D DIGIPRO® G3 amp, 900 W RMS, max SPL 134 dB, DSP 28/56 bit 48 kHz, Rotary Delay Control (10 positions) and switches (Outputs Mode, Phase, Xover), Subwoofer level, cabinet: plywood, Dimensions: 515x640x720, Weight: 48 kg (105.82 lbs.)	15.480,00	19.350,00
DVA KS20	Active semi-horn loaded subwoofer, equipped with two 18" transducer with a 4" voice coil. DIGIPRO® G3 class D amp 1800 W RMS, DSP, 28/56 bit 48 kHz, Rotary Delay Control (10 positions) and switches (Outputs Mode, Phase, Xover), Subwoofer level, cabinet: plywood, Dimensions WxHxD: 1100 mm (43.31 in)x 580 mm (22.83 in)x720 mm (28.35 in); Weight: 84 kg (185.19 lbs.)	24.264,00	30.330,00
DVA MINI G2	DVA MINI G2 provides stunning power and sound pressure in an extraordinary lightweight and compact enclosure. Each element is equipped with 2x6.5" neodymium woofers and 2x1" high-frequency neodymium compression drivers and driven by a Class D Digipro G3 amp module providing 400 W RMS. The system can reach an impressive 131-dB-per-unit sound pressure level. The system's advanced sound processing features linear-phase FIR filters allowing an excellent linear response, resulting in a clear and intelligible audio performance from every listening position.	11.972,00	14.965,00
DVA MS12	Active Bass-Reflex Flyable Subwoofer, 1x12" Woofer, 700 W/RMS, 45-140 Hz, 131 dB SPL, SMPS with auto-range, Integrated flying hardware. Dimensions: 460x430x385 mm, Weight: 26.2 kg	9.416,00	11.770,00
DVX SERIES			
DVX DM 28	2-way stage monitor, 2 x 8" RCF neodymium woofers with 2,5" VC, 1 x 1" neodymium HF-driver with 1,75" VC, asymmetrical CD-Horn (30°+ 45°v), 750W/RMS , 70Hz-20KHz, SPL max. 130dB, Dimensions 480x265x418mm, weight 14kg/30.8lbs	11.360,00	14.200,00
DVX DM 12	2-way stage monitor, 1 x 12" RCF neodymium woofer with 3" VC, 1 x 1,4" neodymium CD-driver with 2,5" VC, CD-Horn (40°+ 90°), 750W/RMS , 55Hz-20KHz, SPL max. 131dB, Dimensions 660x305x378mm, weight 17,5kg/38,5lbs	13.648,00	17.060,00
DVX DM15	2-way stage monitor, 1 x 15" RCF neodymium woofer with 3" VC, 1 x 1,4" neodymium CD-driver with 2,5" VC, CD-Horn (40°+ 90°), 750W/RMS 55Hz-20KHz, SPL max. 131dB, Dimensions 660x305x378mm, weight 17,5kg/38,5lbs	14.348,00	17.935,00

PROFF

dBTechnologies

Varenr	Tekst	excl. moms	incl. moms
FIFTY LINES SERIES			
FIFTY 410T TOP	Active Full range speaker 4x10" woofers, 2x1.4 drivers, 2x tilted horn, 1500 W RMS class D AMP, flyabl with accessories, coverage H50° V+15° -35°	27.632,00	34.540,00
FIFTY 118S SUB	Active subwoofer, 18" woofer, 1500 W RMS amp	23.932,00	29.915,00
VIO Accessories			
DO-VIOL212	Dolly for VIO L212	3.800,00	4.750,00
DO-VIOS118	Dolly for VIO S118	3.384,00	4.230,00
DO-VIOS218	Dolly for up to 3x VIO S218 Stacked horizontal	5.576,00	6.970,00
DRK-210	Flybar for VIO L210	8.228,00	10.285,00
DRK-212	Flybar for VIO L212	15.088,00	18.860,00
DT-VIOL210	Trolley for VIO L210	10.408,00	13.010,00
SWK-18	Kit composed by 4 x 100mm wheels	616,00	770,00
TC-VIOL210	Functional Cover for DT-VIOL210	1.300,00	1.625,00
DRK-208	Flybar for VIO L208	3.088,00	3.860,00
DT-VIOL208	Dolly transport top	7.236,00	9.045,00
FC-VIOX10	Functional cover for VIO X10	576,00	720,00
FC-VIOX12	Functional cover for VIO X12	532,00	665,00
FC-VIOX15	Functional cover for VIO X15	616,00	770,00
WB-VIOX10H	Horizontal wall bracket for VIO X10. Dimensions W x H X D: 559 x 158 x 385 mm Weight: 6 Kg	1.400,00	1.750,00
WB-VIOX10V	Vertical wall bracket for VIO X10. 36mm Pole mount included. Dimensions W x H X D: 382 x 664 (+82) x 96 mm Weight: 4.6 Kg	2.780,00	3.475,00
WB-VIOX12H	Horizontal wall bracket for VIO X12. Dimensions W x H X D: 659 x 168 x 450 mm Weight: 6 Kg	1.456,00	1.820,00
WB-VIOX12V	Vertical wall bracket for VIO X12. 36mm Pole mount included. Dimensions W x H X D: 442 x 689 (+82) x 99 mm Weight: 5.45 Kg	2.908,00	3.635,00
WB-VIOX15H	Horizontal wall bracket for VIO X15. Dimensions W x H X D: 759 x 188 x 470 mm Weight: 6.3 Kg	1.484,00	1.855,00
WB-VIOX15V	Vertical wall bracket for VIO X15. 36mm Pole mount included. Dimensions W x H X D: 502 x 821 (+82) x 94 mm Weight: 5.9 Kg	2.976,00	3.720,00
WB-VIOX205V	Vertical bracket for VIO X205 Dimensions W x H x D: 250 x 319 (+82) x 40 mm Weight: 3.5 Kg	1.652,00	2.065,00
WB-VIOX205H	Horizontal wall bracket for VIO X205 Dimensions W x H x D: 549 x 205 x 40 mm Weight: 1.4 Kg	908,00	1.135,00
DVA Accessories			
ADTF-2	Flight case for 2 DVA T12 modules. The case is equipped with self-centering metal cart to facilitate assembly and disassembly of the modules.	11.204,00	14.005,00
ADTF-3	Flight case for 3 DVA T12 modules. The case is equipped with self-centering metal cart to facilitate assembly and disassembly of the modules.	11.888,00	14.860,00
DO 218	Dolly for DVA S30 N (including wheels).	2.208,00	2.760,00
DRK-10	Fly bar for all DVA systems (T4, T8, T12, S09 DP, S10 DP, S20 DP, S30 N, S1518 N, S1521 N, S2585 N). Designed to hang up to a maximum weight of 250 Kg (TUV certified). Usable for stack	4.332,00	5.415,00
DRK-M5	Fly bar for hanging up to 16 x DVA Mini modules.	1.944,00	2.430,00

PROFF

dBTechnologies

Varenr	Tekst	excl. moms	incl. moms
DS 2	Pole Mount Ø35mm, adjustable, M20 thread. It can be used on all DVA subwoofers, SUB 15D and SUB 18D. It allows the installation of any loudspeakers provided with a 35 mm hole above on any subwoofer with a M20 flange.	252,00	315,00
DS2-S	Pole Mount M20 thread, 20cm length. It can be used on all DVA subwoofers, SUB 15D, 18D, 15H and 18H. It allows the installation of any loudspeakers provided with a 35 mm hole on any subwoofer with threaded M20 speaker stacking (height 11 cm).	84,00	105,00
DSA 4	Adapter for up to 3 DVA T4/T8 on a speaker stand/pole or floor use through adjustable feet. Throw angle adjustable through graduated knob.	3.076,00	3.845,00
DT 6	Metal trolley to carry up to 6 DVA T4/T8 modules or up to 4 DVA T12 modules. In case of T4/T8 modules, when combined with DF-4 flight case, you can also fit 1 DRK-10 fly bar and various cables in the rear. Ready for mounting 4 Bluewheels (included).	4.416,00	5.520,00
DTF 4	Bundle: DT 6 Metal-Trolley + Professional Flight case DF 4 to setup, disassemble and transport DVA T4 - T8 modules. You can also fit 1 DRK-10 fly bar and various cables in the rear.	12.016,00	15.020,00
RDNET CONTROL 2	RNet Controller for 2 Lines per 32 Speakers	1.188,00	1.485,00
RDNET CONTROL 8	RNet CONTROL 8 is an hardware interface to connect dB Technologies RNet compatible devices (DVA T12,T8, DVA S30N,etc.), to a Personal Computer (PC) by means of an USB connection.	11.876,00	14.845,00
TC 20S/TC 30S	Tour cover for DVA S20 DP and S30 (N)	408,00	510,00